

- gelcoat, ~0.015 thick
- 1 layer chopped strand mat, 1.5 oz. (per sq. ft.)
- 10 oz. (per sq. yd.) E-glass cloth:
  - 4 general layers
  - + ( \* ) additional layers in load areas:



- Ref: thickness buildup ~0.019 in. per layer
- (.xxx) thickness checks

# RABUGGI

fiberglass/polyester  
firewall/tunnel/floorboard  
programmed layup - ref.  
(plan view)

09-22-09 Bob

